

# CAFCA

## **Chapter 7**

## References

© M. Zandee 1989,1996 All Rights Reserved.

February 1996

***THIS PAGE INTENTIONALLY LEFT BLANK***

## VII. REFERENCES

---

- Beckner, M. 1959 The biological way of thought. Columbia University press: New York.
- Bron, C. and J. Kerbosch. 1973. Finding all cliques of an undirected graph. *Comm. A.C.M.* 16: 575-577.
- Brooks, D.R. 1981. Hennig's parasitological method: a proposed solution. *Syst. Zool.* 30:229-249.
- . 1990. Parsimony analysis in historical biogeography and coevolution: methodological and theoretical update. *Syst. Zool.* 39:14-30.
- Brooks, D.R. and D. A. McLennan. 1991. *Phylogeny, Ecology, and Behavior. A Research program in Comparative Biology.* University of Chicago Press, Chicago.
- . 1993. *Parascript. Parasites and the Language of Evolution.* Smithsonian Institution Press: Washington.
- Brooks, D.R. and E.O. Wiley. 1988. *Evolution as Entropy.* 2<sup>nd</sup> ed. The University of Chicago Press: Chicago.
- Cracraft, J. 1988. Deep-history biogeography: Retrieving the historical pattern of evolving continental biotas. *Syst. Zool.* 37:221-236.
- Camin, J.H. and R.R. Sokal. 1965. A method for deducing branching sequences in phylogeny. *Evolution* 19:311-326.
- dePinna, M.C.C. 1991. Concepts and tests of homology in the cladistic paradigm. *Cladistics* 7: 367-394.
- Estabrook, G.F. 1972. Cladistic methodology: A discussion of the theoretical basis for the induction of evolutionary history. *Ann. Rev. Ecol. Syst.* 3:427-456.
- . 1979. Some concepts for the estimation of evolutionary relationships in Systematic Botany. *Syst. Bot.* 3:146-158.
- Estabrook, G.F., C.S. Johnson, Jr. and F.R. McMorris. 1975. An idealized concept of the true cladistic character. *Math. Biosci.* 23: 263-272.
- Estabrook, G.F. and W.R. Anderson. 1978. An estimate of phylogenetic relationships within the genus *Crusea* (Rubiaceae) using character compatibility analysis. *Syst. Bot.* 3: 179 -196.
- Farris, J.S. 1970. Methods for computing Wagner trees. *Syst. Zool.* 19: 83-92.
- . 1978. An efficient method for finding monothetic groups. *Syst. Zool.* 27: 468-472.
- . 1988. *HENNIG86 Reference Manual.*
- Farris, J.S. and A.G. Kluge. 1979. A botanical clique. *Syst. Zool.* 28(3): 400-411.
- Farris, J.S., A.G. Kluge, and M.F. Mickevich. 1982. Phylogenetic analysis, the monothetic group method, and myobatrachid frogs. *Syst. Zool.* 31: 317-327.
- Felsenstein, J. 1981. A likelihood approach to character weighting and what it tells us about parsimony and compatibility. *Biol. J. Linn. Soc.* 16: 183-196.
- . 1982. Numerical methods for inferring evolutionary trees. *Quarterly Review of Biology* 57:379-404.
- Fitch, W.M. 1971. Toward defining the course of evolution: minimum change for a specific tree topology. *Syst. Zool.* 20:406-416.
- Forey, P.L., C.J. Humphries, I.J. Kitching, R.W. Scotland, D.J. Siebert, and D.M. Williams. 1992. *Cladistics. A Practical Course in Systematics.* Clarendon Press: Oxford.
- Foulds, L.R., M.D. Hendy, and D. Penny. 1979. A general approach to proving minimality of phylogenetic trees illustrated by an axample with a set of 23 vertebrates. *J. Mol. Evol.* 13: 151-166.
- Funk, V. and D.R. Brooks. 1990. *Phylogenetic Systematics as the basis of Comparative Biology.* Smithsonian Contributions to Botany 73. Smithsonian Institution Press: Washington.
- Hafner, M.S. and S.A. Nadler. 1988. Phylogenetic trees support the coevolution of parasites and hosts. *Nature* 332: 258-259.
- Kluge, A.G. and J.S. Farris. 1969. Quantitative phyletics and the evolution of anurans. *Syst. Zool.* 18: 1-32.

- Le Quesne, W.J. 1969. A method of selection of characters in numerical taxonomy. *Syst. Zool.* 18:201-205.
- . 1972. Further studies based on the uniquely derived character concept. *Syst. Zool.* 21:281-288
- . 1974. The uniquely evolved character concept and its cladistic application. *Syst. Zool.* 23:513-517.
- Maddison, W.P., and D.R. Maddison. 1992. *MacClade. Analysis of Phylogeny and Character Evolution*. Sinauer Associates: Sunderland, Mass.
- Meacham, C.A. 1981. A manual method for character compatibility analysis. *Taxon* 30:591-600.
- . 1984. The role of hypothesized direction of characters in the estimation of evolutionary history. *Taxon* 33: 26-38.
- Meacham, C.A., and G. Estabrook. 1985. Compatibility methods in systematics. *Ann. Rev. Ecol. Syst.* 16:431-446.
- Nelson, G.J. and N. Platnick. 1981. *Systematics and Biogeography*. Columbia University Press: New York.
- . 1991. Three-taxon statements: A more precise use of parsimony ? *Cladistics* 7:351-366.
- O'Grady, R.T. and G.B. Deets. 1987. Coding multistate characters, with special reference to the use of parasites as characters of their hosts. *Syst. Zool.* 28: 1-21.
- O'Grady, R.T., G.B. Deets., and G.W. Bentz. 1989. Additional observations on nonredundant linear coding of multistate characters. *Syst. Zool.* 38(1): 54-57
- Page, D.M. 1987. Graphs and generalized tracks: Quantifying Croizat's panbiogeography. *Syst. Zool.* 36: 1-7.
- . 1988a. Quantitative cladistic biogeography: Constructing and comparing area cladograms. *Syst. Zool.* 37(3): 254-270.
- . 1988b. Comments on component-compatibility in historical biogeography. *Cladistics* 5:167-182.
- . 1990a. Component analysis: A valiant failure ? *Cladistics* 6:119-136.
- . 1990b. Temporal congruence and cladistic analysis of biogeography and cospeciation. *Syst. Zool.* 39: 205-226.
- . 1993. Reconciled trees and cladistic analysis of historical associations between genes, organisms, and areas. (ms)
- . 1994. Parallel phylogenies: Reconstructing the history of host-parasite assemblages. *Cladistics* 10: 155-173
- Penny, D. 1982a. Graph theory, evolutionary trees and classification. *Zool. J. Linn. Soc.* 74: 305-328.
- . 1982b. Towards a basis for classification: The incompleteness of distance measures, incompatibility analysis and phenetic classification. *J. theor. Biol.* 96: 129-142.
- Penny, D., and M.D. Hendy. 1985. Testing methods of evolutionary tree construction. *Cladistics* 1: 266-278.
- Penny, D., M.D. Hendy, and L.R. Foulds. 1980. Techniques for the verification of minimal phylogenetic trees illustrated with ten mammalian haemoglobin sequences. *Biochem. J.* 187: 65-74.
- Pimentel, R.A. and R. Riggins. 1987. The nature of cladistic data. *Cladistics* 3(3): 201-209.
- Rodrigo, A.G. 1992. Two optimality criteria for selecting subsets of most parsimonious trees. *Syst. Biol.* 41: 33-40.
- Rohlf, F.J. 1986. *NTSYS-pc. Numerical Taxonomy and Multivariate Analysis System*. Applied Biostatistics Inc.: Setauket, NY.
- Ronquist, F. and S. Nylin. 1990. Process and pattern in the evolution of species associations. *Syst. Zool.* 39(4): 323-344.
- Rosen, D.E. 1978. Vicariant patterns and historical explanation in biogeography. *Syst. Zool.* 27: 159-188.
- Sang, T. 1995. New measurements of distribution of homoplasy and reliability of parsimonious cladograms. *Taxon* 44: 77-82.

- Sharkey, M.J. 1989. A hypothesis-independent method of character weighting for cladistic analysis. *Cladistics* 5:63-86.
- Sharrock, G. and J. Felsenstein. 1975. Finding all monothetic subsets of a taxonomic group. *Syst. Zool.* 24: 373-377.
- Sober, E. 1988. The conceptual relationship of cladistic phylogenetics and vicariance biogeography. *Syst. Zool.* 37:245-253.
- Strauch Jr., J.G. 1984. Use of homoplastic characters in compatibility analysis. *Syst. Zool.* 33(2): 167-177
- Swofford, D.L. 1985. *PAUP. Phylogenetic Analysis Using Parsimony*. Illinois Natural History Survey: Champaign, Ill. (PC-version 2.4.1)
- . 1991. *PAUP. Phylogenetic Analysis Using Parsimony*. Illinois Natural History Survey: Champaign, Ill. (Macintosh version 3.0)
- Welzen, P.C. van. 1989. *Guioa* Cav. (Sapindaceae): Taxonomy, phylogeny, and historical biogeography. *Leiden Botanical Series* 12.
- Wiley, E.O. 1988a. Parsimony analysis and vicariance biogeography. *Syst. Zool.* 37(3): 271-290.
- . 1988b. Vicariance Biogeography. *Ann Rev. Ecol. Syst.* 19: 513-542.
- Wiley, E.O., D. Siegel-Causey, D.R. Brooks, and V. Funk. 1991. *The compleat cladist. A primer of phylogenetic procedures*. Museum of Natural History, University of Kansas: Lawrence.
- Williams, P.L. and W.M. Fitch. 1989. Finding the minimal change in a given tree. Pp. 453-470. *In: B. Fernholm, K. Bremer, and H. Jörnvall (eds), The Hierarchy of Life*. Elsevier Science Publishers BV, Amsterdam.
- Wilkinson, M. 1991. Homoplasy and parsimony analysis. *Syst. Zool.* 40: 105-109.
- . 1994. Three-taxon statements: When is parsimony analysis also a clique analysis? *Cladistics* 10: 221-223.
- Wilson, E.O. 1965. A consistency test for phylogenies based on contemporaneous species. *Syst. Zool.* 14:214-220.
- Zandee, M. 1984. Three-Cladon-Statement-Permutations + Local Outgroup Comparison = Cladistic Analysis. Paper read at the 4th meeting of the Willi Hennig Society, London.
- Zandee, M. and R. Geesink. 1987. Phylogenetics and Legumes: A desire for the impossible? Pp. 131-167. *In: C.H. Stirton (ed), Advances in Legume Systematics* 3. Royal Botanic Gardens: Kew.
- Zandee, M. 1987. A computing environment for cladistic analysis. Preliminaries of a user manual for CAFCA/PC. Pp 111-140. *In: P. Hovenkamp (ed.) Systematics and evolution: A matter of diversity*. Utrecht University Press, Utrecht.
- Zandee, M. and M.C. Roos. 1987. Component compatibility in historical biogeography. *Cladistics* 3(4): 305-332.
- Zandee, M., and R. Geesink. Phylogeny and information theory: The Redundancy Quotient (RQ) as an optimality criterion for cladograms (ms).

***THIS PAGE INTENTIONALLY LEFT BLANK***